
10770 W Oakland Park Blvd, Sunrise, FL 33351-9954

City of Sunrise







Serving Customers in the City of Sunrise

City Commission

Mayor Roger B. Wishner
Commissioner Sheila D. Alu
Commissioner Donald K. Rosen
Commissioner Joseph A. Scuotto
Commissioner Lawrence A. Sofield

City Manager

Bruce Moeller

Utilities Department

Acting Utilities Director Tim Welch, P.E.

Contact Us Administrative Office:

City of Sunrise Utilities 777 Sawgrass Corporate Parkway Sunrise, FL 33325 Phone: (954) 888-6000

Customer Service & Billing:

10770 West Oakland Park Boulevard Sunrise, FL 33351 Phone: (954) 746-3232

After-Hours Customer Service:

Phone: (954) 846-7406 Hours: Monday through Friday, 5:00 p.m. to 11:30 p.m.

After-Hours Emergencies:

Phone: (954) 746-3600

2009 Annual Drinking Water Quality Report

The City of Sunrise Utilities Department treats one of the most important resources in the world: your water.

We are pleased to present to you this year's
Annual Drinking Water Quality Report. This report
is designed to inform you about the quality water
and services we deliver to you every day. Our
constant goal is to provide you with a safe and
dependable supply of drinking water. We want you
to understand the efforts we make to continually
improve the water treatment process and protect
our water resources. We are committed to ensuring
the quality of your water.

Your Drinking Water Process

Our water source is from groundwater wells that draw from the Biscayne Aquifer. The groundwater wells are 70 to 90 feet deep and draw water from this aquifer, which is replenished by rainwater. South Florida's topography creates a very effective purification system by filtering water through many feet of soil, sand, and rock. Although the Biscayne Aquifer is prolific, it is not limitless. With the increased pressure of a growing population and a focus on restoration of the Everglades, the competition for water in South Florida is stronger than ever. It's easy to see why we should be thinking about our water sup-


Lower East Coast



ply and how we can conserve this precious resource.

Treatment of your water includes lime softening and filtration at the Springtree Water Treatment Plant. Treated water is stored to meet peak demand periods. Chlorine and ammonia are added for disinfection and fluoride is added for dental health purposes.

Most of the rainfall is just West of the Coastal Ridge



NSERVATION TIP:





Did You Know...

The City of Sunrise supports the all-year, two-day-a-week landscape irrigation restrictions imposed by the South Florida Water Management District (SFWMD) and the Broward County Environmental Protection Department and Growth Management.

In order to help manage our water resources, the City is implementing a Water Conservation Program; planning for the development and funding of alternative water supply projects; and focusing on other critical renewal and replacement initiatives.

An overview of the residential restrictions is provided. For additional details, residents and business owners are invited to visit the SFWMD Web site.

Residential Water-Use Restrictions:

For homes with addresses that end in an ODD number (1, 3, 5, 7 or 9), lawn watering is permitted on Wednesdays and Saturdays between 12:00 a.m. and 10:00 a.m., and/or between 4:00 p.m. and 11:59 p.m.

For homes with addresses that end in an EVEN number (0, 2, 4, 6 or 8), lawn watering is permitted on Thursdays and Sundays between 12:00 a.m. and 10:00 a.m., and/or between 4:00 p.m. and 11:59 p.m.

No restrictions apply to other outside water uses, such as for car and boat washing, or pressure cleaning. The use of water for fire fighting, safety, sanitation, health, medical and other essential purposes is not restricted.

CONSERVATION TIP



- When buying new appliances, consider those that offer cycle and load size adjustments. They're more water and energy efficient.





Precautionary Boil Water Notices

As part of ongoing efforts to protect the health of our communities, the state of Florida has developed rules that regulate how water utilities respond to water main breaks. According to the rules, if a water main breaks and its interior is exposed to groundwater, soil, or other foreign matter, a Precautionary Boil Water notice must be issued in the affected area. As the name implies, this is a precautionary measure, and more importantly, such a response is not necessary for most water leaks. We understand that precautionary boil water notices can be a major inconvenience and we make every effort to avoid them. In the rare event that a significant break does occur, notices are distributed immediately through a high-speed telephone notification system. A notice is lifted a minimum of 24 hours after its release and only after bacteriological

testing confirms the water

encourage you to follow the

precautionary notice should

is safe to drink. We care

about your safety and

If you are listed in the telephone directory, you are automatically included on our call list. However, if you have an unlisted phone number, have had your services activated in the last six months, or if you use a cell phone as your primary telephone, please take a moment to register your contact information with us. Call Ted Petrides at (954) 888-6035 or register online at www.sunrisefl.gov/ subscriptions.jsp.



CONSERVATION TIP:



Raise your lawn mower cutting height.
 Longer grass blades reduce evaporation.
 Use an automatic shut-off nozzle on hoses. Ten gallons of water per minute can be lost through hoses.



Did You Know...

- The City of Sunrise Utilities Department provides water service to approximately 215,000 people within the cities of Sunrise, Weston, Southwest Ranches, and Davie.
- The City produces on average about 30 million gallons per day of drinking water.
- South Florida residents consume 179 gallons per person per day the highest water usage in the state.
- Outdoor irrigation accounts for up to 50 percent of water use in Florida, and up to 50 percent of the water applied to lawns is lost to evaporation or runoff.
- Running a full load of dishes in a dishwasher saves

- water over washing the same dishes by hand.
- A high efficiency washing machine can save more than 50 percent in water and energy use.
- Toilet leaks can be detected by adding food coloring to the tank water. If the colored water appears in the bowl (without flushing), the toilet is leaking.

CONSERVATION TIP:





Understanding the Water Quality Data

We are pleased to report that our drinking water meets all Federal and State requirements. If you have any questions about this report or concerning your water utility, please contact Ted Petrides at (954) 888-6035. We encourage our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled Commission meetings. They are held every second and fourth Tuesday of the month at 6:30 p.m. in the Commission Chambers on the

first floor of City Hall located at 10770 West Oakland Park Boulevard in Sunrise.

The City of Sunrise Utilities
Department routinely monitors
for contaminants in your drinking
water according to Federal and
State laws, rules, and regulations.
Except where indicated
otherwise, this report is based
on the results of our monitoring
for the period January 1 to
December 31, 2009. Data
obtained before January
1, 2009 and presented

in this report are from the most recent testing done in accordance with the laws, rules, and regulations.

In the following table you may find unfamiliar terms and abbreviations. To help you better understand these terms we've provided the following definitions.

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Maximum Residual Disinfectant Level or

MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual
Disinfectant Level Goal or
MRDLG: The level of a drinking
water disinfectant below which
there is no known or expected
risk to health. MRDLGs do not
reflect the benefits of the use of

disinfectants to control microbial contaminants.

N/A means not applicable, does not apply.

ND means not detected and indicates that the substance was not found by laboratory analysis.

Parts per Billion (ppb) or
Micrograms per Liter (µg/l) –

Micrograms per Liter (µg/l) – one part by weight of analyte to 1 billion parts by weight of the water sample.

Parts per Million (ppm) or Milligrams per Liter (mg/l) – one part by weight of analyte to 1 million parts by weight of the water sample.

Picocurie per Liter (pCi/L) - measure of the radioactivity in water.

Potential Contaminants in Source Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

(A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Source Water Assessments

In 2009 the Florida Department of Environmental Protection (DEP) performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our wells.

Potential sources of contamination are those facilities, sites, and activities that have the potential to affect the underlying ground water aquifers or nearby surface waters used for public drinking water supply. Many of these potential sources are regulated by DEP and the location and status of these sites are maintained within DEP databases. By utilizing in-house databases and a geographical information system (GIS), DEP can access and illustrate the relationships of potential contaminant sources to the approximately 12,000 public water supply intakes

in Florida. It should be noted that the potential sources of contamination identified by this assessment project are just that: potential sources. Many of these facilities are regulated and operate under stringent construction and maintenance requirements designed to protect both human health and the environment. The purpose of conducting the source water assessments is to provide information that will lead to actions to reduce current risks or avoid future problems.

There are 54 potential sources of contamination identified ranging from low to high susceptibility level. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state. fl.us/swapp or they can be obtained from Ted Petrides at (954) 888-6035.

CONSERVATION TIP:



Water the garden during the coolest part of the day (early morning is best).
Use mulch around shrubs and plants to reduce evaporation from the soil surface and cut down on weed growth.









Immuno-compromised Persons

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/ AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/ CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).


We at the City of Sunrise Utilities Department would like you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to insuring the quality of your water. If you have any questions or concerns about the information provided, please feel free to call any of the numbers listed.





ONSERVATION TIP:





(B) Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

(C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

(D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

(E) Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Sunrise Utilities Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

In order to ensure that tap water is safe to drink, the EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at 1-800-426-4791.





City of Sunrise Utilities Department Water Quality Report

To determine how the quality of your drinking water compares to government standards, compare the "Level Detected" column with the maximum allowed "MCL" column.

	Year	MCL					
Contaminant (Unit of Measurement)	Tested	Violation Y/N	Level Detected (Springtree WTP)		MCLG	MCL	Likely Source of Contamination
Microbiological Contaminants							
Total Coliform Bacteria (Highest Monthly			0			-	
(%)	2009	N	3.19		0	5	Naturally present in the environment
Radiological Contaminants							
Uranium (ug/L)	2009	N	1.1		0	30	Erosion of natural deposits
Inorganic Contaminants							
							Discharge of drilling wastes; discharge from metal refineries;
Barium (ppm)	2009	N	0.00405		2	2	erosion of natural deposits
Connec (ten water) (nem)	2008	AL Exceeded?	90th Percentile	No. of sampling sites exceeding	1.3		Corrosion of household plumbing systems; erosion of natural
Copper (tap water) (ppm)	2008	N	Result = 0.0893	the AL = 0	1.3	= 1.3	deposits; leaching from wood preservatives Erosion of natural deposits; discharge from fertilizer and aluminum
							factories. Water additive which promotes strong teeth when at
Fluoride (ppm)	2009	09 N 0.8 Average (Range 0.54 to 1.0)		ango 0 54 to 1 0)	4		optimum levels between 0.7 and 1.3 ppm
Pluoride (ppin)	2009	AL	0.6 Average (No	No. of sampling	4	4	optimum levels between 0.7 and 1.5 ppm
		Exceeded?	90th Percentile	sites exceeding		Action Level (AL)	Corrosion of household plumbing systems; erosion of natural
Lead (tap water) (ppb)	2008	N N	Result = 4.4	the AL = 1	0		deposits
Sodium (ppm)	2009	N		3.7	N/A	160	Salt water intrusion, leaching from soil
Disinfectants and Disinfection By-Pro	100.00	- 1		J.1	13//3	100	Call water initiation, readining from Soil
Chlorine (ppm)	2009	N	2.4		MRDLG = 4	MRDL = 4.0	Water additive used to control microbes
Haloacetic Acids (five) (HAA5) (ppb)	2009	N	10.7		N/A	60	By-product of drinking water disinfection
TTHM (Total trihalomethanes) (ppb)	2009	N	7.22		N/A	80	By-product of drinking water disinfection
Unregulated Contaminants		- ''			1.97.1		-/ Present et authing maier sienneenen
							A compound formed by the combination of amines and nitrates or nitrites. Unregulated contaminants are those for which EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining the occurrence of unregulated contaminants in
Nitrosamines (NDMA) (ppb)	2009	N	0.003		N/A	N/A	drinking water and whether future regulation is warranted.









